

Advanced Lower Extremity Prosthetics for the Physical Therapy Professional

Bibliography

Aldridge Whitehead JM, Wolf EJ, Scoville CR, Wilken JM. (2014). "Does a microprocessor-controlled prosthetic knee affect stair ascent strategies in persons with transfemoral amputation?" *Clin Orthop Relat Res.* 472(10): 3093–3101

Alimusaj, Merkur, Laetitia Fradet, Frank Braatz, Hans J. Gerner, and Sebastian I. Wolf. (2009). "Kinematics and kinetics with an adaptive ankle foot system during stair ambulation of transtibial amputees." *Gait & Posture* 30:356-363.

Bellmann, Malte, Thomas Schmalz, Eva Ludwigs, Dipl-Inga, and Siegmar Blumentritt. (2012). "Immediate Effects of a New Microprocessor-Controlled Prosthetic Knee Joint: A Comparative Biomechanical Evaluation." *Archives of Physical Medicine and Rehabilitation.* Volume 93(3):541–549.

Bellmann, Malte, Thomas Schmalz, Dipl-Inga, and Siegmar Blumentritt. (2010). "Comparative Biomechanical Analysis of Current Microprocessor-Controlled Prosthetic Knee Joints." *Archives of Physical Medicine and Rehabilitation.* Volume 91(4):644–652

Brooks, D., Parsons, J., et al. (2001). "The 2-minute walk test as a measure of functional improvement in persons with lower limb amputation." *Archives of Physical Medicine and Rehabilitation* 82(10): 1478-1483.

Czerniecki, Joseph M., and Andrew Gitter. (1996). "Gait analysis in the amputee: Has it helped the amputee or contributed to the development of improved prosthetic components?" *Gait & Posture* 4:258-268.

Deathe, Barry A., and William C Miller. (2005). "The L Test of Functional Mobility: Measurement Properties of a Modified Version of the Timed "Up & Go" Test Designed for People With Lower-Limb Amputations." *Physical Therapy* 85(7): 626-635.

Dite, W., HJ Connor, et al. (2007) "Clinical identification of multiple fall risk early after unilateral transtibial amputation." *Archives of Physical Medicine and Rehabilitation* . Vol 88(1): 109-114.

Fradet, Laetitia, Merkur Alimusaj, Frank Braatz, and Sebastian I. Wolf. (2010). "Biomechanical analysis of ramp ambulation of transtibial amputees with an adaptive ankle foot system." *Gait & Posture* 32:191-198.

Gailey, Robert S., Kathryn E. Roach, E. Brooks Applegate, and Brandon Cho. (2002). "The Amputee Mobility Predictor: An Instrument to Assess Determinants of the Lower-Limb Amputee's Ability to Ambulate." *Archives of Physical Medicine and Rehabilitation.* Vol 83.

Hafner, Brian J., Laura L. Willingham, Noelle C. Buell, Katheryn J. Allyn, and Douglas G. Smith. (2007). "Evaluation of Function, Performance, and Preference as Transfemoral Amputees Transition From Mechanical to Microprocessor Control of the Prosthetic Knee." *Archives of Physical Medicine and Rehabilitation*. Volume 88(2):207–217.

Highsmith MJ, Kahle JT, Lura DJ, Dubey RV, Carey SL, Quillen WS, & Mengelkoch LJ. "Short and mid-distance walking and posturography with a novel microprocessor knee." *Technol Innov*, 2014; 15: 359–368

DOI:<http://www.ingentaconnect.com/content/cog/ti/2014/00000015/00000004/art00012>

Highsmith MJ, Kahle JT, Lura DJ, Lewandowski AJ, Quillen WS, Kim HS. (2014). "Stair ascent and ramp gait training with the Genium knee." *Technol Innov*, 2014; 15: 349-358.

Lajoie Y, Gallagher SP. (2004). Predicting falls within the elderly community: comparison of postural sway, reaction time, the Berg balance scale and ABC scale for comparing fallers and non-fallers. *Archives of Gerontology and Geriatrics* 38:11-26.

Lin, Chih-Chieh, Chih-Han Change, Chu-Lung Wu, Kao-Chi Chung, I-Chen Liao. (2004). "Effects of liner stiffness for trans-tibial prosthesis: a finite element contact model." *Medical Engineering and Physics* 26:1-9.

Myers AM, PC Fletcher, AN Myers, and W Sherk. (1998). "Discriminative and evaluative properties of the ABC Scale." *Journal of Gerontology: Medical Sciences* 53:M287-M294.

Powell, LE and AM Myers. "The Activities-specific Balance Confidence (ABC) Scale." (1995). *Journal of Gerontology: Medical Sciences* 50(1): M28-34.

Resnik, L. and Borgia, M. (2011). "Reliability of outcome measures for people with lower-limb amputations: distinguishing true change from statistical error." *Physical Therapy* 91(4): 555-565

Sagawa, Yoshimasa, Jr., Katia Turcot, Stephane Armand, Andre Thevenon, Nicolas Vuillerme, and Eric Watelain. (2011). "Biomechanics and physiological parameters during gait in lower-limb amputees: A systematic review." *Gait & Posture* 33:511-526.

Salavati, M., Mazaheri, M., et al. (2011). "The Persian version of locomotor capabilities index: translatio during gait in lower-limb amputees: A systematic review." *Gait & Posture* 33:511-526.n, reliability and validity in individuals with lower limb amputation." *Quality of Life Research* 20(1): 1-7.

Schmalz, Thomas PhD; Bellmann, Malte Dipl-Ing, CPO; Proebsting, Eva Dipl-Ing; Blumentritt, Siegmard PhD. (2014). "Effects of Adaptation to a Functionally New Prosthetic Lower-Limb Component: Results of Biomechanical Tests Immediately after Fitting and after 3 Months of Use." *Journal of Prosthetics and Orthotic*. 87(3): 134-143. doi: 10.1016/j.apmr.2011.10.01

Schmalz, Thomas, Siegmund Blumentritt, and Rolf Jarasch. (2002). "Energy expenditure and biomechanical characteristics of lower limb amputee gait: The influence of prosthetic alignment and different prosthetic components." *Gait & Posture* 16:255-263.

Tekina, Levent, Ýsmail Safazb, Ahmet Salim Göktepeb, and Kamil Yazýcýođlu. (2009). "Comparison of quality of life and functionality in patients with traumatic unilateral below knee amputation and salvage surgery." *Prosthetics and Orthotics International*. Volume 33(1).

Thiele J, Westebbe B, Bellmann M, Kraft M. (2013) "Designs and Performance of Microprocessor-Controlled Knee Joints." *Biomedizinische Technik/Biomedical Engineering*. Volume 59(1): 65-77.

Vanicek, Natalie, Siobhan Strike, Lars McNaughton, and Remco Polman. (2009). "Gait patterns in transtibial amputee fallers vs. Non-fallers: Biomechanical differences during level walking." *Gait & Posture* 29:415-420.

Williams, Rhonda M., Aaron P. Turner, Michael Orendurff, Ava D. Segal, Glenn K. Klute, Jan Pecoraro, and Joseph Czerniecki. (2006) "Does Having a Computerized Prosthetic Knee Influence Cognitive Performance During Amputee Walking?" *Archives of Physical Medicine and Rehabilitation*. 87(7): 989-994.

Wurdeman, SR, AL Jacobsen, and N Stergiou. (2013). "Changes in Gait Using the Rush™ Foot: A Preliminary Study." Web www.rushfoot.com date of access 09/01/2015.

Schmalz, Thomas PhD; Bellmann, Malte Dipl.-Ing, CPO; Proebsting, Eva Dipl.-Ing; Blumentritt, Siegmund PhD. (2014). "Effects of Adaptation to a Functionally New Prosthetic Lower-Limb Component: Results of Biomechanical Tests Immediately after Fitting and after 3 Months of Use." *Journal of Prosthetics and Orthotics*. 87(3): 134-143. doi: 10.1016/j.apmr.2011.10.017